

2004

Cygnus X



125 *Cygnus X*
Cygnus X...
125



Urban

If there's one thing to be sure of in a world of rising costs, unreliable transport and streets jammed with traffic, it's Yamaha's Cygnus X.

In the last ten years the Cygnus X has been proved beyond question by satisfied owners in countless cities around the world. It's strong, dependable, easy and has outstanding value, the ideal scooter for fast and certain cross-town commuting.

Now as road conditions get tougher still, Yamaha has updated the Cygnus X to meet the new challenge, and it's better than ever!

Manoeuvrability is enhanced thanks to the more compact body, the new bright headlight helps safety, the storage space has been enlarged and the design is sportier and even more stylish.

The new four-valve engine is economical. But performance hasn't suffered as the Cygnus X is confident and agile in traffic, and thanks to new double shock rear suspension it's smoother than ever on neglected urban streets. Features such as its 12" wheels, powerful large diameter front brake, aluminium grab rail and the sheer high quality are compelling. Now add the time and stress a scooter saves on city journeys, and the Cygnus X becomes irresistible.



Efficiency




- 1 Compact body shape improves manoeuvrability in traffic 2 New, brighter headlight to see and be seen 3 The new Cygnus X has an easy to read instrument panel 4 Aluminium grab rail for passenger security and easier lifting onto the stand 5 Optional luggage and topcase carrier combined with 30 litre topcase for additional storage space 6 Optional high windschild for a better wind protection



Yamaha highly recommend you the use of genuine Yamaha accessories. Contact your local dealer or visit our website: www.yamaha-motor-acc.com

YAMAHA
GENUINE
Parts & Accessories





Citrine



Graphic Blue

Cygnus X TECHNICAL SPECIFICATION

Engine

Type	Monocylinder, 4-stroke, air-cooled, SOHC
Displacement	124.8 cc
Bore x stroke	52.4 x 57.9 mm
Compression ratio	10 : 1
Maximum power	8.2 kW @ 8,500 rpm
Maximum torque	9.6 Nm @ 7,500 rpm
Lubrication	Wet sump
Carburation	-
Starter system	Electric and kick
Ignition	CDI
Fuel tank capacity	7.1 litres
Transmission	Automatic with V-belt

Chassis

Overall length	1,855 mm
Overall width	685 mm
Overall height	1,110 mm
Seat height	770 mm
Wheelbase	1,290 mm
Min ground clearance	110 mm
Dry weight	114 kg
Front suspension	Telescopic fork
Rear suspension	Dual
Front brake	Single disc Ø 220 mm
Rear brake	Drum Ø 150 mm
Front tyre	110/70-12 47L
Rear tyre	120/70-12 58L



Always wear a helmet, eye protection and protective clothing. Yamaha encourage you to ride safely and respect fellow riders and the environment. Specifications and appearance of Yamaha products shown here may vary according to requirements and conditions, and are subject to change without notice. For further details, please consult your Yamaha dealer.